
62.41

the cottage gardens




wholesale price list spring 1955

- lining-out stock
- finished evergreens
- shrubs and trees

2707 W. ST. JOSEPH ST. LANSING 17, MICH. TELEPHONE IV 2-9021 OR IV 2-9276

Visit The Cottage Gardens

You are always welcome at our nursery.



3 1. Office and Propagation — 2707 W. St. Joseph Street 2. Main Nursery — 6 miles east of East Lansing

Nursery and Peony Propagation -- 5 miles out

(no business transacted at latter two locations)

EVERGREENS

We are offering the following in FINISHED evergreens. All plants are either root-pruned or transplanted at the proper time and are well suited for immediate landscape effect.

	Size	10 Rate	100 Rate
JUNIPERUS			
chinensis Hetzi	15-18''	2.75	2.50
chinensis Hetzi	1 1/2-2'	3.25	3.00
chinensis Hetzi, sheared	2-21/2'	5.50	5.25
chinensis pfitzeriana	15-18''	3.00	2.75
chinensis pfitzeriana	1 1/2-2'	3.50	3.25
chinensis pfitzeriana	2-21/2'	4.75	4.50
chinensis pfitzeriana compacta.	12-15"	2.50	2.25
chinensis pfitzeriana compacta chinensis pfitzeriana compacta	15-18''	3.00	2.75
chinensis phitzeriana compacta	1 1/2-2'	3.50	3.25
excelsa stricta	15-18"	3.50	3.25
horizontalis plumosa	1½-2′ 15-18′′	3.50 3.00	3.25 2.75
horizontalis plumosa	1 ½-2'	3.50	3.25
Sabina von Erhon	15-18''	2.75	2.50
Sabina von Erhon	1 1/2-2'	3.25	3.00
virginiana Canaerti	2-21/2'	4.00	0.00
virginiana Canaerti	21/2-3'	4.50	
virginiana Keteleeri	2-3'	4.00	3.75
virginiana pyramidiformis	2-3'	4.50	
TAXUS	12-15''	2.75	2.50
cuspidata	15-18''	4.00	3.75
cuspidata, heavy	1 ½-2'	5.50	5.25
cuspidata, sheared	2-21/2'	6.25	6.00
cuspidata, heavy specimen	21/2-3'	8.50	8.00
cuspidata Browni	12-15''	4.00	3.75
cuspidata Browni	15-18''	4.75	4.50
cuspidata Browni, dense	15-18''	5.50	5.25
cuspidata Browni, dense cuspidata Buffumi (spreading	1 1/2-2'	6.25	
type)	15-18''	4.75	4.50
cuspidata capitata, spec	3-31/2'	12.75	12.50
cuspidata capitata, spec	31/2-4'	16.50	16.00
cuspidata capitata, spec	4-41/2'	25.00	
cuspidata capitata, spec	41/2-5'	32.50	
cuspidata nigra (spreading type)	15-18"	4.50	4.25
cuspidata nigra, dense	2-21/2'	6.50	
densiformis	12-15"	4.25	
densiformis	15-18"	4.75	0.75
media Halloran	10-15"	3.00	2.75
media Halloran	15-18"	4.00 6.25	3.75 6.00
media Halloran, specimen media Halloran, specimen	$1\frac{1}{2}$ -2' 2-2 $\frac{1}{2}$ '	7.75	7.50
media Hatfieldi	15-18''	5.00	4.75
media Hatfieldi, heavy	2½-3'	8.50	8.00
media Hicksi	12-15"	2.75	2.50
media Hicksi	15-18''	4.00	3.75
media Hicksi	1 1/2-2'	5.00	4.75
media Hicksi	2-21/2'	7.50	7.00
media Hicksi	21/2-3'	8.00	7.75
media Hicksi, sheared	3-31/2'	14.00	13.50
media Hicksi, sheared	31/2-4'	16.50	16.00
Welleslyana	15-18''	4.00	
m********			
THUJA occidentalis	2-21/2'	2.00	1.75
occidentalis	15-18''	2.00	1.73
occidentalis globosaoccidentalis nigra	11/2-2'	2.00	1.75
occidentalis nigra	3-31/2'	3.50	3.25
•	5-0 / 2	0.00	3.20
3			

BROADLEAVED EVERGREENS

These plants are balled and burlapped. Plant in protected places and use peat or regular ericaceous plant food.

	Size	10 Rate	100 Rate
AZALEA poukhanensis	12-15''	3.25	3.00
BUXUS Koreana	15-18''	6.00	5.50
EUONYMUS <pre>patens, globe shape, sheared patens, bushy</pre>	15-18'' 2-3'	3.00 3.75	2.50 3.50
ILEX rotundifolia rotundifolia, potted	15-18'' 10-15''	3.50 2.00	1.75
MAHONIA aquifolium aquifolium	15-18'' 1½-2'	3.00 3.50	
PIERIS japonica japonica japonica	12-15'' 15-18'' 1½-2'	3.25 3.50 5.00	3.00 3.25 4.75
PYRACANTHA coccinea Lalandi coccinea pauciflora	10-15'' 10-15''	2.50 2.50	2.25 2.25
RHODODENDRON catawbiense, with buds catawbiense, with buds	12-15'' pot 1½-2'	2.00 6.75	1.75 6.50



A view of one of our lathhouses.

LINING OUT STOCK

Please note that we use the deeper rose pot. Stock from plant bands will be shipped bare root. All our l.o. stock is well grown and well packed. We insist on quality and therefor continue to furnish the same customers year after year. We are convinced that you will be well pleased with these plants.

	Size 1	00 Rate 100	00 Rate
ABIES concolor	A ser tr	.25	.22
	4 yr. u.	.20	
AMPELOPSIS veitchi veitchi		.06½ .35	.06½ .30
BERBERIS Thunbergi	2 yr. S. 6-9" 9-12" 12-15" 15-18" 2 yr. pot 2 yr. fld. 2 yr. fld., less th	.09 .07 .09 .13 .18 .25 .60	.07 .06 .08 .12 .15 .22½ .50
BUXUS koreana	l yr. pot	.28	.25
CORNUS elegantissima, heavy	l.o. 12-18''	.30	.25
COTONEASTER adpressa praecox adpressa praecox divaricata multiflora	l yr. pot l yr. S., br. l yr. pot l yr. S.	.25 .25 .20	.22½ .22½ .18
CRATAEGUS Oxyacantha Pauli	4-5' whips	.75	.70
DEUTZIA gracilis	l yr.	.15	.12
DICENTRA spectabilis	clumps	.40	.35
EUONYMUS alatus alatus patens patens radicans vegetus radicans vegetus radicans vegetus radicans vegetus radicans vegetus radicans vegetus	1 yr. pot 1 yr. S. 1 yr. pot 1 yr. tr. 1 yr. pot C. 1 yr. fld. X. 2 yr. fld. 2 yr. fld. 2 'yr. fld.	.20 .09 .20 .25 .16 .25 .57 $\frac{1}{2}$.57 $\frac{1}{2}$.20	.18 .08 .18 .22 .15 .20½ .55 .55
FORSYTHIA Arnold's Dwari Lynwood Gold	l yr. tr. l yr. pot	.30 .25	.25 .22½
HEDERA Helix baltica	l yr. pot	.25	.20
chinensis pfitzeriana chinensis pfitzeriana chinensis pfitzeriana chinensis pfitzeriana chinensis Hetzi excelsa stricta horizontalis plumosa, heavy horizontalis plumosa	6-8" potted 3/16" stem potte 8-10" tr. 1 yr. pot 1 yr. pot 1 yr. pot 2 yr. 8-12" 1 yr. pot	.25 ed .40 .40 .22 .22 .27½ .35 .25	.22½ .35 .35 .20 .20 .25 .30

Lining Out Stock—Continued

	Size	100 Rate	1000 Rate
KERRIA japonica fl. pl	l yr.	.20	.18
LIGUSTRUM vicari	l yr. pot	.20	.18
MALUS Cheal's Crimson, bright red fruit O. Echtemeyer, carmine micromalus, pink purpurea Eleyi, wine red; red	l yr. gfts. l yr. gfts. l yr. gfts.	.30 .30 .30	.28 .28 .28
fruit	l yr. gfts. l yr. gfts.	.30 .30	.28 .28
low fruit	l yr. gfts.	.30	.28
PACHYSANDRA terminalis	l yr. pot	.20	.15
PHILADELPHUS cor. aurea	l yr. pot l yr. tr.	.25 .25	.22½ .22½
PICEA pungens glauca Moerheimi	4 yr. tr. 8-10'', 2 yr. fld.	.25 2.75	.22 2.50
PINUS montana mughus montana mughus		.15 .25	.13 .22
PRUNUS tomentosα	12-15", 2 yr. S	15	.12
PSEUDOTSUGA taxifolia (Douglas Fir)	6-8", 3 yr. tr.	.15	.13
PYRACANTHA coccinea Lalandi	l yr. pot l yr. pot	.20 .30	.18 .25
RIBES alpinum	l yr. pot 2 yr. 10-12''	.20 .35	.16 .30

ROOTED CUTTINGS

Approximately May 1955 Delivery

	100 R	ate	1000 Rate
Juniperus chinensis Hetzi	1	2	.10
Juniperus chinensis pfitzeriana		12	.10
Juniperus chinensis pfitzeriana compacta.	1	4	.12
Juniperus hor. plumosa (andorra)		l 2	.10
Taxus cuspidata		12	.10
Taxus cuspidata Browni		14	.12
Taxus cuspidata Capitata (tips only)		15	.14
Taxus intermedia		12	.10
Taxus media Halloran		14	.12
Taxus media Hatfieldi, upright		12	.10
Taxus media Hicksi		12	.10
Taxus Wardi		14	.12
Taxus Welleslyana		14	.12
Thuja occ. globosa		12	.10
Thuja occ. nigra		12	.10
Thuja occ. pyramidalis		12	.10
Pyracantha c. Lalandi		16	.14
Pyracantha c. kasan		16	
Pyracantha c. pauciflora		16	

Lining Out Stock—Continued

SORBUS	CALIN	Size	100 Rate	1000 Rate
SORBUS Qucuparia 3.4' tr. .45 .40 .35	SALIX tortuosa	l vr. tr.	.30	
SYMPHORICARPOS Huncocki, very low, spreading 1 yr. tr. .40 .35		1 / 1. 11.		
Nancocki, very low, spreading. 1 yr. tr. 1, 40 .35		3-4' tr.	.45	.40
SYRINGA—All on own root Chas. Joly, double purple				
Chas. Joly. double purple	Hancocki, very low, spreading	l yr. tr.	.40	.35
Chos. Joly	SYRINGA-All on own root			
Congo. single red.				
Congo				
Etna, single red, very large truss				
Mont Blane, single white 1 yr, pot 28 25	Etna, single red, very large truss Henry Rutilant, lavendor (Pres-		.28	
Pres. Lincoln, single Wedgewood blue 1 yr. pot 28 Pres. Lincoln 2 yr. tr. 40 reflexa pallens, light pink 1 yr. pot 28 Souv. de Louis Spaeth, single violet 1 yr. pot 28 Thunberg, double lilac 1 yr. pot 28 Thunberg 2 yr. tr. 40 violetta, double mauve 1 yr. pot 28 25 Thunberg 2 yr. tr. 40 35 TAXUS 2 yr. tr. 40 35 TAXUS 2 yr. pot 32 30 cuspidata 2 yr. pb. 32 30 cuspidata 2 yr. bed 40 35 cuspidata 2 yr. bed 40 35 cuspidata 4 yr. light 1.00 cuspidata 4 yr. light 1.00 cuspidata 4 yr. beavy 1.25 1.15 cuspidata 12-18", 5 yr. 1.30 1.25 cuspidata capitata 1 yr. pb. 32 30 cuspidata capitata 1 yr. pb. 32 30 cuspidata capitata 1 yr. pot 2.2 2.5 cuspidata capitata 1 yr. pot 2.2 2.5 cuspidata capitata 2 yr. bed 4.2 37 ½ cuspidata capitata 1 yr. pot 2.2 2.5 cuspidata capitata 1 yr. pot 2.2 2.0 cuspidata capitata 2 yr. bed 4.2 37 ½ cuspidata capitata 1 yr. pot 2.2 2.0 cuspidata capitata 2 yr. pb. 3.2 30 cuspidata capitata 2 yr. bed 4.2 37 ½ cuspidata capitata 1 yr. pot 2.2 2.0 cuspidata capitata 2 yr. bed 4.0 35 cuspidata capitata 2 yr. bed 4.0 35 cuspidata capitata 2 yr. pot 3.2 3.0 cuspidata recta 2 yr. pot 3.2 3.0 cuspidata Wardi 1 yr. pot 2.2 2.0 cuspidata Halloran 1 yr. pot 2.2 2.0 media Halloran 1 yr. pot 2.2 2.0 media Halloran 2 yr. bed 4.0 35 media Hicksi 2 yr. bed 4.0 35 media Hicksi 2 yr. bed 4.0 35 med				
Pres. Lincoln		i yi. pot	.40	.23
reflexa pallens, light pink 1 yr. pot 28 Souv. de Louis Spaeth, single violet 1 yr. pot 28 25 Thunberg 2 yr. tr. 40 35 1 yr. pot 28 25 25 1 yr. pot 28 25 25 25 25 25 25 26 26	blue	l yr. pot	.28	
Souv. de Louis Spaeth, single violet 1 yr. pot 28 1 yr. pot 28 25 25 1 yr. pot 28 25 25 27 27 27 28 25 27 28 25 27 28 25 27 28 25 27 28 27 28 27 28 27 28 27 28 27 28 28		*		
Violet		l yr. pot	.28	
Thunberg, double lilac.		l vr. pot	.28	
violetta, double mauve 1 yr. pot .28 .25 violetta 2 yr. tr. .40 .35 TAXUS cuspidata 2 yr. p.b. .32 .30 cuspidata 2 yr. bed .40 .35 cuspidata 2 yr. bed .40 .35 cuspidata 2 yr. bed .40 .35 cuspidata 4 yr., light 1.00 .85 cuspidata 4 yr., light 1.00 .85 cuspidata 12-18", 5 yr. 1.30 1.25 cuspidata 12-18", 5 yr. 1.30 1.25 cuspidata Browni 2 yr. bed .42½ .37½ cuspidata capitata 1 yr. pot .28 .25 cuspidata capitata 1 yr. pot C. .28 .25 cuspidata capitata 1 yr. pot S. .25 .22 cuspidata capitata 1 yr. pot S. .25 .22 cuspidata capitata 1 yr. pot S. .25 .22 cuspidata capitata				.25
TAXUS 2 yr. pot .32 .30 cuspidata 2 yr. p.b. .32 .30 cuspidata 2 yr. bed .40 .35 cuspidata 2 yr. fid. .45 .40 cuspidata 2 yr. fid. .45 .40 cuspidata 4 yr., light 1.00 .65 cuspidata 4 yr., heavy 1.25 1.15 cuspidata 12-18", 5 yr. 1.30 1.25 cuspidata 2 yr. bed .42 ½ .37½ cuspidata Browni 2 yr. p.b. .32 .30 cuspidata capitata 1 yr. S. tr. .06 .05½ cuspidata capitata 1 yr. pot C. .28 .25 cuspidata capitata 1 yr. pot C. .28 .25 cuspidata capitata 1 yr. pot C. .28 .25 cuspidata capitata 1 yr. pot S. .25 .22 cuspidata capitata 2 yr. bed C. .50 .47 cuspidata recta 1 yr. pot .22 .20<	3			
TAXUS cuspidata				
cuspidata 2 yr. pb. .32 .30 cuspidata 2 yr. pb. .32 .30 cuspidata 2 yr. bed .40 .35 cuspidata 2 yr. fld. .45 .40 cuspidata 3 yr. tr. .70 .65 cuspidata 4 yr. light 1.00 .65 cuspidata 4 yr. heavy 1.25 1.15 cuspidata 12-18", 5 yr. 1.30 1.25 cuspidata Browni 2 yr. p.b. .32 .30 cuspidata Ebrowni 2 yr. bed .42½ .37½ cuspidata capitata 1 yr. pot .28 .25 cuspidata capitata 1 yr. pot S. .25 .22 cuspidata capitata 2 yr. bed .42½ .37½ cuspidata capitata 1 yr. pot S. .25 .22 cuspidata capitata 2 yr. bed C. .50 .47 cuspidata capitata 3 yr. bed C. .50 .47 cuspidata Thayeri 1 yr. pot .22 <t< th=""><th>violetta</th><th>Z y1. II.</th><th>.40</th><th>.33</th></t<>	violetta	Z y1. II.	.40	.33
cuspidata 2 yr. bed .40 .35 cuspidata 2 yr. bed .40 .35 cuspidata 2 yr. fld .45 .40 cuspidata 3 yr. tr. .70 .65 cuspidata 4 yr., light 1.00 cuspidata 1.21-8", 5 yr. 1.30 1.25 cuspidata 1.21-8", 5 yr. 1.30 1.25 cuspidata 2 yr. p.b. .32 .30 cuspidata Browni 2 yr. bed .42 ½ .37½ cuspidata capitata 1 yr. pot C. .28 .25 cuspidata capitata 1 yr. pot C. .28 .25 cuspidata capitata 1 yr. pot S. .25 .22 cuspidata capitata 2 yr. S. .18 .16 cuspidata capitata 3 yr. bed C. .50 .47 cuspidata capitata 3 yr. bed C. .50 .47 cuspidata capitata 3 yr. bed C. .50 .47 cuspidata Thayeri 1 yr. pot .22 .20	TAXUS			
cuspidata 2 yr. bed .40 .35 cuspidata 2 yr. fld. .45 .40 cuspidata 3 yr. tr. .70 .65 cuspidata 4 yr., light 1.00 cuspidata 4 yr., heavy 1.25 1.15 cuspidata 12-18", 5 yr. 1.30 1.25 cuspidata Browni 2 yr. bed .42 ½ .37 ½ cuspidata capitata 1 yr. bet .28 .25 cuspidata capitata 1 yr. pot C. .28 .25 cuspidata capitata 1 yr. pot S. .25 .22 cuspidata capitata 2 yr. S. .18 .16 cuspidata capitata 2 yr. pot S. .18 .16 cuspidata capitata 2 yr. pot S. .22 .22 cuspidata capitata 2 yr. pot S. .18 .16 cuspidata capitata 2 yr. pot S. .25 .22 cuspidata Taperi 1 yr. pot S. .22 .20 cuspidata Thayeri 1 yr. pot S. .22				
cuspidata 2 yr. fld. .45 .40 cuspidata 3 yr. tr. .70 .65 cuspidata 4 yr., light 1.00 cuspidata 4 yr., heavy 1.25 cuspidata 12-18", 5 yr. 1.30 1.25 cuspidata Browni 2 yr. p.b. .32 .30 cuspidata capitata 1 yr. p. bed .42½ 2 .37½ cuspidata capitata 1 yr. pot C. .28 .25 cuspidata capitata 1 yr. pot S. .25 .22 cuspidata capitata 1 yr. pot S. .25 .22 cuspidata capitata 1 yr. pot S. .25 .22 cuspidata capitata 2 yr. S. .18 .16 cuspidata capitata 3 yr. bed C. .50 .45 cuspidata capitata 3 yr. bed C. .50 .47 cuspidata capitata 3 yr. bed C. .50 .47 cuspidata capitata 1 yr. pot S. .22 .20 cuspidata Thayeri 1 yr. pot S. .22				
cuspidata 3 yr. tr. .70 .65 cuspidata 4 yr., light 1.00 cuspidata 4 yr., heavy 1.25 1.15 cuspidata 12-18", 5 yr. 1.30 1.25 cuspidata Browni 2 yr. p.b. .32 .30 cuspidata capitata 1 yr. bed .42½ .37½ cuspidata capitata 1 yr. pot C. .28 .25 cuspidata capitata 1 yr. pot S. .25 .22 cuspidata capitata 2 yr. S. .18 .16 cuspidata capitata 2 yr. S. .18 .16 cuspidata capitata 2 yr. bed .50 .45 cuspidata capitata 2 yr. bed .50 .45 cuspidata capitata 2 yr. bed .50 .45 cuspidata recta 1 yr. pot .22 .20 cuspidata Thayeri 1 yr. pot .22 .20 cuspidata Thayeri 1 yr. p. b. .22 .20 cuspidata Wardi 1 yr. p.b. .25				
cuspidata 4 yr., heavy 1.25 1.15 cuspidata 12-18", 5 yr. 1.30 1.25 cuspidata Browni 2 yr. bed .42½ .37½ cuspidata capitata 1 yr. S. tr. .06 .05½ cuspidata capitata 1 yr. pot C. .28 .25 cuspidata capitata 1 yr. pot S. .25 .22 cuspidata capitata 2 yr. S. .18 .16 cuspidata capitata 3 yr. bed C. .50 .45 cuspidata capitata 3 yr. bed C. .50 .47 cuspidata capitata 2 yr. pot .32 .20 cuspidata erecta 1 yr. pot .22 .20 cuspidata Thayeri 1 yr. pot .22 .20 cuspidata Thayeri 1 yr. p. b. .22 .20 cuspidata Wardi 1 yr. p.b. .25 .22 cuspidata Wardi 1 yr. p.b. .25 .22 cuspidata Wardi 1 yr. p.b. .25 .22 cuspidata Wardi 1 yr.	cuspidata	3 yr. tr.		.65
cuspidata 12-18", 5 yr. 1.30 1.25 cuspidata Browni 2 yr. p.b. .32 .30 cuspidata Browni 2 yr. bed .42½ .37½ cuspidata capitata 1 yr. S. tr. .06 .05½ cuspidata capitata 1 yr. pot C. .28 .25 cuspidata capitata 1 yr. pot S. .25 .22 cuspidata capitata 2 yr. S. .18 .16 cuspidata capitata 2 yr. bed C. .50 .45 cuspidata capitata 3 yr. bed C. .50 .45 cuspidata capitata 2 yr. pot .50 .45 cuspidata capitata 3 yr. bed C. .50 .45 cuspidata capitata 1 yr. pot .22 .20 cuspidata erecta 1 yr. pot .22 .20 cuspidata Thayeri 1 yr. pot .22 .20 cuspidata Thayeri 1 yr. p. b. .22 .20 cuspidata Wardi 1 yr. pot .25 .22 cuspidata Wardi				1.15
cuspidata Browni 2 yr. p.b. .32 .30 cuspidata Browni 2 yr. bed .42½ .37½ cuspidata capitata 1 yr. S. tr. .06 .05½ cuspidata capitata 1 yr. pot C. .28 .25 cuspidata capitata 1 yr. pot S. .25 .22 cuspidata capitata 2 yr. S. .18 .16 cuspidata capitata 4 yr. tr. 6-8" .50 .45 cuspidata capitata 3 yr. bed C. .50 .47 cuspidata capitata 3 yr. bed C. .50 .47 cuspidata erecta 1 yr. pot .22 .20 cuspidata Thayeri 1 yr. pot .22 .20 cuspidata Thayeri 1 yr. p. b. .22 .20 cuspidata Wardi 1 yr. p. b. .22 .20 cuspidata Wardi 1 yr. p.b. .25 .22 cuspidata Wardi 1 yr. p.b. .25 .22 cuspidata Wardi 1 yr. p.b. .25 .22 cuspidata Selected strain <td>-</td> <td></td> <td></td> <td></td>	-			
cuspidata Browni 2 yr. bed .42½ .37½ cuspidata capitata 1 yr. S. tr. .06 .05½ cuspidata capitata 1 yr. pot C. .28 .25 cuspidata capitata 1 yr. pot S. .25 .22 cuspidata capitata 2 yr. S. .18 .16 cuspidata capitata 4 yr. tr. 6-8" .50 .45 cuspidata capitata 3 yr. bed C. .50 .47 cuspidata erecta 1 yr. pot .22 .20 cuspidata erecta 2 yr. pot .32 .30 cuspidata Thayeri 1 yr. pot .22 .20 cuspidata Thayeri 1 yr. p. b. .22 .20 cuspidata Wardi 1 yr. p. b. .25 .22 cuspidata Wardi <		_		
cuspidata capitata 1 yr. pot C. .28 .25 cuspidata capitata 1 yr. pot S. .25 .22 cuspidata capitata 2 yr. S. .18 .16 cuspidata capitata 4 yr. tr. 6-8" .50 .45 cuspidata capitata 3 yr. bed C. .50 .47 cuspidata capitata 1 yr. pot .22 .20 cuspidata erecta 2 yr. pot .32 .30 cuspidata Thayeri 1 yr. pot .22 .20 cuspidata Thayeri 1 yr. p. b. .22 .20 cuspidata Wardi 1 yr. p. b. .25 .22 cuspidata Wardi 1 yr. p.b. .25 .22 tuspidata Wardi 1 yr. p	cuspidata Browni		$.42\frac{1}{2}$	$.37\frac{1}{2}$
cuspidata capitata 1 yr. pot S. .25 .22 cuspidata capitata 2 yr. S. .18 .16 cuspidata capitata 4 yr. tr. 6-8" .50 .45 cuspidata capitata 3 yr. bed C. .50 .47 cuspidata erecta 1 yr. pot .22 .20 cuspidata Thayeri 1 yr. pot .22 .20 cuspidata Thayeri 1 yr. p. b. .22 .20 cuspidata Wardi 1 yr. pot .25 .22 cuspidata Wardi 1 yr. p.b. .25 .22 duspidata Wardi 1 yr. p.b. .25 .22 duspidata Wardi 1 yr. p.b.				
cuspidata capitata 2 yr. S. .18 .16 cuspidata capitata 4 yr. tr. 6-8" .50 .45 cuspidata capitata 3 yr. bed C. .50 .47 cuspidata erecta 1 yr. pot .22 .20 cuspidata erecta 2 yr. pot .32 .30 cuspidata Thayeri 1 yr. pot .22 .20 cuspidata Thayeri 2 yr. bed .40 .35 cuspidata Wardi 1 yr. pot .25 .22 cuspidata Wardi 1 yr. p.b. .22 .20 intermedian 2 yr. p.b. <td< th=""><td></td><td>A. A.</td><td></td><td></td></td<>		A. A.		
cuspidata capitata 3 yr. bed C. .50 .47 cuspidata erecta 1 yr. pot .22 .20 cuspidata erecta 2 yr. pot .32 .30 cuspidata Thayeri 1 yr. pot .22 .20 cuspidata Thayeri 2 yr. bed .40 .35 cuspidata Wardi 1 yr. pot .25 .22 cuspidata Wardi 1 yr. pot .25 .22 thenryi 2 yr. fld. .50 .45 Hunnewelliana 2 yr. pot .32 intermedia, selected strain 1 yr. pot .22 .20 intermedia 1 yr. p.b. .22 .20 intermedia 2 yr. p.b. .32 .30 intermedia 1 yr. p.b. .22 .20 media Andersoni 1 yr. p.b. .22 .20 media Halloran 1 yr. pot .22 .20 media Halloran 2 yr. bed .40 .35 media Hicksi 2 yr. bed .40 .35 <tr< th=""><th></th><th>2 yr. S.</th><th></th><th></th></tr<>		2 yr. S.		
cuspidata erecta 1 yr. pot .22 .20 cuspidata erecta 2 yr. pot .32 .30 cuspidata Thayeri 1 yr. pot .22 .20 cuspidata Thayeri 2 yr. bed .40 .35 cuspidata Wardi 1 yr. pot .25 .22 cuspidata Wardi 1 yr. p.b. .25 .22 cuspidata Wardi 1 yr. p.b. .25 .22 Henryi 2 yr. fld. .50 .45 Hunnewelliana 2 yr. pot .32 intermedia, selected strain 1 yr. p.b. .22 .20 intermedia 1 yr. p.b. .22 .20 intermedia 2 yr. p.b. .32 .30 intermedia 1 yr. p.b. .22 .20 media Andersoni 1 yr. p.b. .22 .20 media Halloran 1 yr. pot .22 .20 media Halloran 2 yr. bed .40 .35 media Hicksi 2 yr. bed .40 .35 media Hicksi 5 yr. 12-18" 1.30 1.25 med		_		
cuspidata erecta 2 yr. pot .32 .30 cuspidata Thayeri 1 yr. pot .22 .20 cuspidata Thayeri 1 yr. p. b. .22 .20 cuspidata Wardi 1 yr. pot .25 .22 cuspidata Wardi 1 yr. p.b. .25 .22 cuspidata Wardi 1 yr. p.b. .25 .22 Henryi 2 yr. fld. .50 .45 Hunnewelliana 2 yr. pot .32 .32 intermedia, selected strain 1 yr. pot .22 .20 intermedia 2 yr. p.b. .32 .30 intermedia 2 yr. p.b. .32 .30 intermedia 2 yr. p.b. .32 .30 intermedia 1 yr. p.b. .22 .20 media Andersoni 1 yr. p.b. .22 .20 media Halloran 1 yr. pot .22 .20 media Halloran 2 yr. bed .40 .35 media Hatfieldi 1 yr. pot .22 .20 media Hicksi 5 yr. 12-18" 1.30 1.25	-			
cuspidata Thayeri 1 yr. pot .22 .20 cuspidata Thayeri 1 yr. p. b. .22 .20 cuspidata Thayeri 2 yr. bed .40 .35 cuspidata Wardi 1 yr. pot .25 .22 cuspidata Wardi 1 yr. p.b. .25 .22 Henryi 2 yr. fld. .50 .45 Hunnewelliana 2 yr. pot .32 intermedia, selected strain 1 yr. pot .22 .20 intermedia 1 yr. p.b. .22 .20 intermedia 2 yr. p.b. .32 .30 intermedia 5 yr. tr. 1.10 media Andersoni 1 yr. p.b. .22 .20 media Halloran 1 yr. pot .22 .20 media Halloran 2 yr. bed .40 .35 media Hicksi 2 yr. bed .40 .35 media Hicksi 2 yr. bed .40 .35 media Irish 2 yr. pot .32 microphylla, spreading 3 yr. tr. .50 .47½ Moon's Columnaris 2 yr. bed		A -		
cuspidata Thayeri 2 yr. bed .40 .35 cuspidata Wardi 1 yr. pot .25 .22 cuspidata Wardi 1 yr. p.b. .25 .22 Henryi 2 yr. fld. .50 .45 Hunnewelliana 2 yr. pot .32 intermedia, selected strain 1 yr. p.b. .22 .20 intermedia 1 yr. p.b. .22 .20 intermedia 2 yr. p.b. .32 .30 intermedia 5 yr. tr. 1.10 1.10 media Andersoni 1 yr. p.b. .22 .20 media Halloran 1 yr. pot .22 .20 media Hatfieldi 1 yr. pot .22 .20 media Hicksi 2 yr. bed .40 .35 media Hicksi 5 yr. 12-18" 1.30 1.25 media Irish 2 yr. pot .32 microphylla, spreading 3 yr. tr. .50 .47½ Moon's Columnaris 2 yr. bed .40 .35 ovata<				
cuspidata Wardi 1 yr. pot .25 .22 cuspidata Wardi 1 yr. p.b. .25 .22 Henryi 2 yr. fld. .50 .45 Hunnewelliana 2 yr. pot .32 intermedia, selected strain 1 yr. pot .22 .20 intermedia 1 yr. p.b. .22 .20 intermedia 2 yr. p.b. .32 .30 intermedia 5 yr. tr. 1.10 media Andersoni 1 yr. p.b. .22 .20 media Halloran 1 yr. pot .22 .20 media Halloran 2 yr. bed .40 .35 media Hatfieldi 1 yr. pot .22 .20 media Hicksi 2 yr. bed .40 .35 media Irish 2 yr. pot .32 microphylla, spreading 3 yr. tr. .50 .47½ Moon's Columnaris 2 yr. bed .40 .35 ovata 3 yr. p.b. .40 Welleslyana 1 yr. pot .22 .20 Welleslyana 1 yr. p.b. .22 .20 </th <th></th> <th></th> <th></th> <th></th>				
cuspidata Wardi 1 yr. p.b. .25 .22 Henryi 2 yr. fld. .50 .45 Hunnewelliana 2 yr. pot .32 intermedia, selected strain 1 yr. pot .22 .20 intermedia 1 yr. p.b. .22 .20 intermedia 2 yr. p.b. .32 .30 intermedia 5 yr. tr. 1.10 media Andersoni 1 yr. p.b. .22 .20 media Halloran 1 yr. pot .22 .20 media Halloran 2 yr. bed .40 .35 media Hatfieldi 1 yr. pot .22 .20 media Hicksi 2 yr. bed .40 .35 media Irish 2 yr. pot .32 microphylla, spreading 3 yr. tr. .50 .47½ Moon's Columnaris 2 yr. bed .40 .35 ovata 3 yr. p.b. .40 Welleslyana 1 yr. pot .22 .20 Welleslyana 1 yr. p.b. .22 .20		-		
Henryi 2 yr. fld. .50 .45 Hunnewelliana 2 yr. pot .32 intermedia, selected strain 1 yr. pot .22 .20 intermedia 1 yr. p.b. .22 .20 intermedia 2 yr. p.b. .32 .30 intermedia 5 yr. tr. 1.10 media Andersoni 1 yr. p.b. .22 .20 media Halloran 1 yr. pot .22 .20 media Halloran 2 yr. bed .40 .35 media Hatfieldi 1 yr. pot .22 20 media Hicksi 2 yr. bed .40 .35 media Irish 2 yr. pot .32 microphylla, spreading 3 yr. tr. .50 .47½ Moon's Columnaris 2 yr. bed .40 .35 ovata 3 yr. p.b. .40 Welleslyana 1 yr. pot .22 .20 Welleslyana 1 yr. p.b. .22 .20				
intermedia, selected strain 1 yr. pot .22 .20 intermedia 1 yr. p.b. .22 .20 intermedia 2 yr. p.b. .32 .30 intermedia 5 yr. tr. 1.10 media Andersoni 1 yr. p.b. .22 .20 media Halloran 1 yr. pot .22 .20 media Halloran 2 yr. bed .40 .35 media Hatfieldi 1 yr. pot .22 20 media Hicksi 2 yr. bed .40 .35 media Hicksi 5 yr. 12-18" 1.30 1.25 media Irish 2 yr. pot .32 microphylla, spreading 3 yr. tr. .50 .47½ Moon's Columnaris 2 yr. bed .40 .35 ovata 3 yr. p.b. .40 Welleslyana 1 yr. pot .22 .20 Welleslyana 1 yr. p.b. .22 .20				.45
intermedia 1 yr. p.b. .22 .20 intermedia 2 yr. p.b. .32 .30 intermedia 5 yr. tr. 1.10 media Andersoni 1 yr. p.b. .22 .20 media Halloran 1 yr. pot .22 .20 media Hatfieldi 1 yr. pot .22 .20 media Hicksi 2 yr. bed .40 .35 media Hicksi 2 yr. bed .40 .35 media Irish 2 yr. pot .32 microphylla, spreading 3 yr. tr. .50 .47½ Moon's Columnaris 2 yr. bed .40 .35 ovata 3 yr. p.b. .40 Welleslyana 1 yr. pot .22 .20 Welleslyana 1 yr. p.b. .22 .20				20
intermedia 2 yr. p.b. 32 30 intermedia 5 yr. tr. 1.10 media Andersoni 1 yr. p.b22 .20 media Halloran 1 yr. pot .22 .20 media Halloran 2 yr. bed .40 .35 media Hatfieldi 1 yr. pot .22 20 media Hicksi 2 yr. bed .40 .35 media Hicksi 5 yr. 12-18" 1.30 1.25 media Irish 2 yr. pot .32 microphylla, spreading 3 yr. tr50 .47½ Moon's Columnaris 2 yr. bed .40 .35 ovata 3 yr. p.b40 Welleslyana 1 yr. pot .22 .20 Welleslyana 1 yr. p.b22 .20				
media Andersoni 1 yr. p.b. .22 .20 media Halloran 1 yr. pot .22 .20 media Halloran 2 yr. bed .40 .35 media Hatfieldi 1 yr. pot .22 20 media Hicksi 2 yr. bed .40 .35 media Hicksi 5 yr. 12-18" 1.30 1.25 media Irish 2 yr. pot .32 microphylla, spreading 3 yr. tr. .50 .47½ Moon's Columnaris 2 yr. bed .40 .35 ovata 3 yr. p.b. .40 Welleslyana 1 yr. pot .22 .20 Welleslyana 1 yr. p.b. .22 .20				
media Halloran 1 yr. pot .22 .20 media Halloran 2 yr. bed .40 .35 media Hatfieldi 1 yr. pot .22 20 media Hicksi 2 yr. bed .40 .35 media Hicksi 5 yr. 12-18" 1.30 1.25 media Irish 2 yr. pot .32 microphylla, spreading 3 yr. tr. .50 .47½ Moon's Columnaris 2 yr. bed .40 .35 ovata 3 yr. p.b. .40 Welleslyana 1 yr. pot .22 .20 Welleslyana 1 yr. p.b. .22 .20				••
media Halloran 2 yr. bed .40 .35 media Hatfieldi 1 yr. pot .22 20 media Hicksi 2 yr. bed .40 .35 media Hicksi 5 yr. 12-18" 1.30 1.25 media Irish 2 yr. pot .32 microphylla, spreading 3 yr. tr. .50 .47½ Moon's Columnaris 2 yr. bed .40 .35 ovata 3 yr. p.b. .40 Welleslyana 1 yr. pot .22 .20 Welleslyana 1 yr. p.b. .22 .20				
media Hatfieldi 1 yr. pot .22 20 media Hicksi 2 yr. bed .40 .35 media Hicksi 5 yr. 12-18" 1.30 1.25 media Irish 2 yr. pot .32 microphylla, spreading 3 yr. tr. .50 .47½ Moon's Columnaris 2 yr. bed .40 .35 ovata 3 yr. p.b. .40 Welleslyana 1 yr. pot .22 .20 Welleslyana 1 yr. p.b. .22 .20				
media Hicksi 5 yr. 12-18" 1.30 1.25 media Irish 2 yr. pot .32 microphylla, spreading 3 yr. tr. .50 .47½ Moon's Columnaris 2 yr. bed .40 .35 ovata 3 yr. p.b. .40 Welleslyana 1 yr. pot .22 .20 Welleslyana 1 yr. p.b. .22 .20	media Hatfieldi	l yr. pot	.22	20
media Irish 2 yr. pot .32 microphylla, spreading 3 yr. tr. .50 .47½ Moon's Columnaris 2 yr. bed .40 .35 ovata 3 yr. p.b. .40 Welleslyana 1 yr. pot .22 .20 Welleslyana 1 yr. p.b. .22 .20				
microphylla, spreading 3 yr. tr. .50 .47½ Moon's Columnaris 2 yr. bed .40 .35 ovata 3 yr. p.b. .40 Welleslyana 1 yr. pot .22 .20 Welleslyana 1 yr. p.b. .22 .20		-		1.25
Moon's Columnaris 2 yr. bed .40 .35 ovata 3 yr. p.b. .40 Welleslyana 1 yr. pot .22 .20 Welleslyana 1 yr. p.b. .22 .20				.47 1/2
Welleslyana l yr. pot .22 .20 Welleslyana l yr. p.b. .22 .20	Moon's Columnaris	2 yr. bed		.35
Welleslyana 1 yr. p.b22 .20				20
Welleslyana 2 yr. pot .32 .30				
	Welleslyana			

Lining Out Stock—Continued

	Size	100 Rate	1000 Rate
THUJA occidentalis nigra occidentalis nigra Hoveyi (globe)	l yr. pot 2 yr. bed 2 yr. tr.	.22 .40 .40	.20 .35 .35
VIBURNUM americanum Carlesi Opulus nana Wrighti, improved	12-15" 1 yr. pot gfts. 1 yr. pot 2 yr. 12-15"	.16 .50 .25 .35	.15 .45 .20 .30
VINCA Minor (Myrtle)	l yr. pot	.20	.16

DECIDUOUS SHRUBS

These are all well branched and have fibrous roots.

	Size	10 Rate	100 Rate
ACER palmatum	sdlg. 18" B & B	3.65	3.50
ARALIA pentaphylla	1 1/2-2'	.40	.35
BERBERIS mentorensis, bushy	8-12'' 12-18''	.35 .30	.30 .28
CORNUS siberica (best red stem) kousa kousa mas mas mas	3½-4' 1½-2' B & B 2-3' B & B 1½-2' 2-3' 3-3½'	.70 2.00 2.75 .50 .60	.60 1.75 .45 .55
cotoneaster adpressa adpressa praecox divaricata divaricata	12-15" B & B 10-12" B & B 12-15" B & B 15-18" B & B 1½-2" B & B 12-18" 2-3"	2.00 1.75 2.00 2.75 4.75 .40	1.75 1.60 1.75 2.50
CYDONIÄ japonica rubra	2-3'	.60	.55
DEUTZIA gracillis	15-18''	.50	.45
EUONYMUS alatus compacta, bushy yedoensis	15'' 2-3'	.90 .60	.85 .55
FORSYTHIA Arnold's Giant, flower buds spectabilis	2-3' 4-5'	.80 .80	.70 .75
HYDRANGEA arborescens grandiflora arborescens grandiflora paniculata grandiflora	1 ½-2' 2-2 ½' 2-3'	.45 .55 .65	.35 .50 .60
ILEX verticillata	1 1/2-2'	.65	
KOLKWITZIA amabilis	2-3'	.65	.60

Deciduous Shrubs—Continued

LICUCTRUM	Size	10 Rate	100 Rate
LIGUSTRUM amurense	1-2' 2 br. up	.14 1000 ra	.12 te .09
amurense	2-3' row run	.20	.16
amurense, heavy obt. regelianum obt. regelianum	2-3' 1½-2' 2-2½'	.24 .45 .60	.22 .40 .55
bella albida fragrantissima halliana korolkowi korolkowi zabeli xylosteum	3½-4' 2-3' ½-2', 4 yr. 3-4' 4-5' 2-3' 2½-3'	.55 .60 .50 .55 .70 .50	.45 .55 .45 .60
MAGNOLIA alexandria, flower lighter soulangeana, all with buds soulangeana	2-3' potted 2-3' potted 1½-2' B & B 2-2½' B & B 2-3' bushy 3-4' bushy 3-4' bushy 4-5' bushy 5-5½'	3.00 3.00 3.75 4.50 6.00 6.25 7.50 9.00 10.50	2.75 2.75 3.50 4.25 5.75 6.00 7.25 8.75
atrosanguinea, crimson; yellow fruit	5-6' 4-5' 5-6'	2.00 2.00 2.50	1.75
fruit Dorothea, pink	2-3' 2-3' 3-3 ¹ / ₂ '	.65 .80 .75	.60 .75 .65
fruit purpurea Eleyi, wine red; red	3-4' 2-3'	.75 .60	.55
purpurea Lemoinei, bright scarlet purpurea Lemoinei	2-3 3-4' 1 ¹ / ₂ -2' 2-3' 3-4'	.70 .50 .65	.60 .45 .60
Scheideckeri, double pink; yellow fruit	1 ½-2' 2-3' 4'	.55 .65 1.25	.50 .60 1.25
PHILADELPHUS cor, aurea cor, aurea cor. aurea, bushy cor. aurea, bushy glacier virginal mixed	10-12'' 12-15' 12-15'' 15-18'' 2-2½' 2-3' 3-4'	.60 .65 .85 .95 .60 .60	.55 .60 .80 .90 .55 .55
PHOTINEA villosα villosα	2-3' B & B 3-4' B & B	1.75 2.25	1.65 2.00
PRUNUS bleriana, red leaved plum glandulosa, flowering almond kwanzan, Jap. flowering cherry. shirofugen, Jap. flowering cherry thundercloud, purple-leaved plum triloba, double flowering plum triloba	5-6' br. 2-3' 2-3' 5-6' br. 5-6' br. 2-3' bushy 4' std.	2.50 .60 1.25 3.25 2.50 1.00 2.75	2.25 .55 1.00 3.00 .95 2.50

Deciduous Shrubs-Continued

Deciduous biii u			
	Size	10 Rate	100 Rate
SPIREA	12-15''	.35	.30
froebeli	12-15 2' bushy	.65	.60
prunifolia	Z Dusity		
SYMPHORICARPOS			
chenaulti	2-3'	.45	.40
SYRINGA			
FRENCH HYBRIDS	1		
Own root, well branched, bushy	plants.		
Bleuatre, double lavender	2-3'	1.00	.80
Bleuatre	3-4'	1.50	1.25
Chas. Joly, double purple	15-18"	.65	.55 .60
Chas. Joly	1 ½-2′ 2-3′	.75 1.00	.80
Chas. Joly	2-3 15-18''	.65	.55
Congo	1 1/2-2'	.75	.60
Etna, single red, very large truss	1 1/2-2'	1.00	.80
General Pershing, purple	2-3''	1.25	1.00
Henry Rutilant, lavender (Pres-	0.01	1.00	0.0
tonia hybrid)	2-3' 2-3'	1.00	.80 .80
Mont Blanc, single white Mrs. Cleveland, single purple	3-4'	1.50	1.25
Pres. Lincoln, single Wedgewood	0-4		
blue	3-4'	1.50	1.25
Pres. Lincoln	4-41/2'	1.75	1.50
reflexa pallens, light pink	2-3'	1.00	.80 1.50
reflexa pallens	4-5' 2-3'	1.75 1.00	.80
Thunberg, double lilac Violetta, double mauve	3-31/2'	1.25	1.00
Syringa persica, pale lilac,	0 0 7 2		
fragrant	3'	.65	.60
VIBURNUM			
carlesi	1½-2' bare root	2.25	2.10
carlesi	2-3' B & B	3.75	3.50
Tomentosum rotundifolium	21/2-3'	.85	.75
wrighti	10-15''	.40	.30
WEIGELA			
folius purpurea	1 1/2-2'	.65	.60
vaniceki	2-21/2'	.65	.60
vaniceki	3-4'	.75	.70
OTTABLE	mprrc		
SHADE	IKEES		
	Size	10 Rate	100 Rate
ACER			
platanoides (Norway)	8-9' whips	2.80	2.50
plantanoides	1-11/4" br.	4.75	4.25
plantanoides		0 77	
	1 ½-1½'' br.	6.75	5.75
platanoides columnare	6-7'	6.75 6.75 4.25	6.50
platanoides Crimson King		6.75	
platanoides Crimson King platanoides schwedleri saccharinum (Soft)	6-7' 8-9' whips 1½'' br. 1½-1½'' br.	6.75 4.25 6.75 3.50	6.50 4.00 6.50 2.75
platanoides Crimson King platanoides schwedleri saccharinum (Soft) saccharum (Sugar)	6-7' 8-9' whips 1 ¹ / ₄ '' br. 1 ¹ / ₄ -1 ¹ / ₂ '' br. 8-10', 1-1 ¹ / ₄ '' br.	6.75 4.25 6.75 3.50 5.75	6.50 4.00 6.50 2.75 4.75
platanoides Crimson King platanoides schwedleri saccharinum (Soft)	6-7' 8-9' whips 1½'' br. 1½-1½'' br.	6.75 4.25 6.75 3.50	6.50 4.00 6.50 2.75
platanoides Crimson King platanoides schwedleri saccharinum (Soft) saccharum (Sugar)	6-7' 8-9' whips 1 ¹ / ₄ '' br. 1 ¹ / ₄ -1 ¹ / ₂ '' br. 8-10', 1-1 ¹ / ₄ '' br.	6.75 4.25 6.75 3.50 5.75	6.50 4.00 6.50 2.75 4.75
platanoides Crimson King platanoides schwedleri saccharinum (Soft) saccharum (Sugar) saccharum	6-7' 8-9' whips 1 ¹ / ₄ '' br. 1 ¹ / ₄ -1 ¹ / ₂ '' br. 8-10', 1-1 ¹ / ₄ '' br.	6.75 4.25 6.75 3.50 5.75	6.50 4.00 6.50 2.75 4.75
platanoides Crimson King platanoides schwedleri saccharinum (Soft) saccharum (Sugar) saccharum BETULA papyrifera	6-7' 8-9' whips 1 ½'' br. 1 ¼-1 ½'' br. 8-10', 1-1 ¼'' br. 1 ¼-1 ½''	6.75 4.25 6.75 3.50 5.75 6.75	6.50 4.00 6.50 2.75 4.75
platanoides Crimson King platanoides schwedleri saccharinum (Soft) saccharum (Sugar) saccharum BETULA papyrifera CORNUS	6-7' 8-9' whips 1 \(^1/4''\) br. 1 \(^1/4-1\) \(^2''\) br. 8-10', \(^1-1\) \(^4''\) br. 1 \(^1/4-1\) \(^2''\) 2-3'' sgl.	6.75 4.25 6.75 3.50 5.75 6.75	6.50 4.00 6.50 2.75 4.75
platanoides Crimson King platanoides schwedleri saccharinum (Soft) saccharum (Sugar) saccharum BETULA papyrifera	6-7' 8-9' whips 1 ½'' br. 1 ¼-1 ½'' br. 8-10', 1-1 ¼'' br. 1 ¼-1 ½''	6.75 4.25 6.75 3.50 5.75 6.75	6.50 4.00 6.50 2.75 4.75
platanoides Crimson King platanoides schwedleri saccharinum (Soft) saccharum (Sugar) saccharum BETULA papyrifera CORNUS florida, with flower buds	6-7' 8-9' whips 1 \(\frac{1}{4}'' \) br. 1 \(\frac{1}{4} - 1 \frac{1}{2}'' \) br. 8-10', \(1 - 1 \frac{1}{4}'' \) br. 1 \(\frac{1}{4} - 1 \frac{1}{2}'' \) 2-3'' sgl. 3-4' B & B	6.75 4.25 6.75 3.50 5.75 6.75 8.00	6.50 4.00 6.50 2.75 4.75 5.75

4-5' B & B 5-6' br.

4.75

3.00

2.75

CRATAEGUS

Shade Trees-Continued

7.077	Size	10 Rate	100 Rate
FAGUS Sylvatica riversi	3-4' B & B	10.00	
GLEDITSIA triacanthos inermis	8-9' br.	5.00	4.75
LABURNUM vulgare	6-8' br.	2.50	2.25
LIQUIDAMBER styracifluastyraciflua	6-7' B & B 7-8'	5.50 6.50	5.25 6.00
PLATANUS occidentalis, (Sycamore)	7-8' br.	3.00	2.75
SORBUS aucuparia	4-6' 6-7' br.	2.25 2.75	2.00 2.50
ULMUS pumilα	8-10' br.	2.75	2.50

GENERAL INFORMATION:

All prices quoted are F.O.B. Lansing, Michigan.

25 plants of one variety receive 100 rate.

Boxing charged at cost.

Prompt delivery at reasonable cost.

All offers subject to change without notice.

Open Sundays by appointment.

TERMS: Approved credit 2% 10 days, 30 days net; 3% for cash with order.

THE COTTAGE GARDENS

2707 W. ST. JOSEPH ST. LANSING 17, MICH.

TELEPHONE IV 2-9021 OR IV 2-9276



the cottage gardens

2707 W. ST. JOSEPH ST. LANSING 17, MICH.

TELEPHONE IV 2-9021 OR IV 2-9276